



营业执照

(副本)

副本编号: 1-1



扫描二维码
“国家企业信用信息公示系统”
了解更多登记、备案、
许可、行政处罚信息。

统一社会信用代码

91350582727891721C

名称 晋江市浪仕服装织造有限公司

注册资本 1608.000000万港币

类型 有限责任公司(港澳台自然人独资)

成立日期 2001年04月28日

法定代表人 欧阳明士

营业期限 2001年04月28日至2031年04月28日

经营范围 生产服装、针织布(不含漂染及出口配额许可证管理品种)(产品100%外销)、非医用日用防护口罩、非医用日用防护鞋、非医用日用防护手套;销售:非医用日用防护口罩、非医用日用防护服、非医用日用防护手套。(依法须经批准的项目,经相关部门批准后方可开展经营活动)

住所 晋江市英林镇三歌工业区

登记机关



2020年3月30日

Certificate of Compliance



No. 4M200407T.LGW0N08

Certificate's
Holder:

Langshi Garments & Weaving Co., Ltd.
Jinjiang

Sanou Industry Zone, Yinglin, Jinjiang, Fujian,
362200, China

Certification ECM
Mark:



Product:
Model(s):

Protective Masks
KN95 Protective Mask, Disposable
Protective Mask 175mmx95mm

Verification to:

Standard:
EN 149:2001+A1:2009

related to CE Directive(s):
R 2016/425 (Personal Protective Equipment)

Remark: This document has been issued on a voluntary basis and upon request of the manufacturer. It is our opinion that the technical documentation received from the manufacturer is satisfactory for the requirements of the ECM Certification Mark. The conformity mark above can be affixed on the products accordingly to the ECM regulation about its release and its use.

Additional information and clarification about the Marking:



The manufacturer is responsible for the CE Marking process, and if necessary, must refer to a Notified Body. This document has been issued on the basis of the regulation on ECM Voluntary Mark for the certification of products. RG01_ECM rev.3 available at: www.entecerma.it

Issuance date: 07 April 2020

Expiry date: 06 April 2025

Reviewer
Technical expert
Amanda Payne

Approver
ECM Service Director
Luca Bedonni

Ente Certificazione Macchine Srl

Via Ca' Bella, 243 – Loc. Castello di Serravalle – 40053 Valsamoggia (BO) - ITALY
☎ +39 051 6705141 📠 +39 051 6705156 ✉ info@entecerma.it 🌐 www.entecerma.it



中国认可
国际互认
检测
TESTING
CNAS L6760

171020340088

Test Report

Report No. HAPEC20030790

Page: 1 of 4

Applicant Langshi Garments & Weaving Co.,Ltd.Jinjiang
Address Sanou Industrial Zone,Yinglin,Jinjiang,Fujian,China

Sample Information

Sample Name Disposable mask
Sample Brand L+S

*The information above is provided and confirmed by the applicant.

Sample Received Date Mar.23,2020
Testing Period Mar.23,2020 to Mar.25,2020

Testing Requested As per client's request,to determine the Content of Formaldehyde,pH value,Azo dyes,Appearance,Breaking strength of the mask belt and the joint between the mask belt and the mask body in the submitted sample according to GB/T 32610-2016.

Testing Results Please refer to next page(s)

Signer: *Paul Chen*
Authorized signatory

Date: Mar.25,2020

[Website of verification report: CNCA verification platform yz.cnca.cn](http://www.cnca.gov.cn)



中国认可
国际互认
检测
TESTING
CNAS L6760

171020340088

Test Report

Report No. HAPEC20030790

Page: 2 of 4

Remark Based on the sample, with reference to GB/T 32610-2016,the test result in conformity with the requirements.Judged as follows:

No.	Testing Item(s)	Requirement	Testing method	Measured values	Determine
1	Formaldehyde (mg/kg)	≤20	GB/T 2912.1-2009	ND	Pass
2	pH value	4.0-8.5	GB/T 7573-2009	6.1	Pass
3	Azo dyes (mg/kg) *	Disable (≤20)	GB/T 17592-2011	ND	Pass
4	Appearance	The surface of the mask should be free from damage, oil stains, deformation and other obvious defects.	GB/T 32610-2016	Pass	Pass
5	Breaking strength of the mask belt and the joint between the mask belt and the mask body/N	≥20	GB/T 32610-2016	30	Pass

Note: (1) 1mg/kg=1ppm=0.0001%
(2) ND=Not Detected
(3) The MDL of formaldehyde is 16 mg/kg
(4) *Detection information see the test results
(5) GB/ T 32610-2016 is not within the scope of CMA and CNAS certification
(6) 1-3 project mixing test



中国认可
国际互认
检测
TESTING
CNAS L6760

171020340088

Test Report

Report No. HAPEC20030790

Page: 3 of 4

Determination of Azo dyes (unit: mg/kg)

Testing method With reference to GB/T 17592-2011. By GC-MS for measuring.

Testing Item(s)	CAS No.	MDL	Limit	Results
4-aminobiphenyl	92-67-1	5	20	ND
benzidine	92-87-5	5	20	ND
4-chloro-o-toluidine	95-69-2	5	20	ND
2-naphthylamine	91-59-8	5	20	ND
o-aminoazotoluene	97-56-3	5	20	ND
p-chloroaniline	106-47-8	5	20	ND
2,4-diaminoaniline	615-05-4	5	20	ND
4,4'-diaminobiphenylmethane	101-77-9	5	20	ND
3,3'-dichlorobenzidine	91-94-1	5	20	ND
3,3'-dimethoxybenzidine	119-90-4	5	20	ND
3,3'-dimethylbenzidine	119-93-7	5	20	ND
3,3'-dimethyl-4,4'-diaminobiphenylmethane	838-88-0	5	20	ND
2-Methoxy-5-methylaniline(p-cresidine)	120-71-8	5	20	ND
4,4'-methylene-bis-(2-chloroaniline)	101-14-4	5	20	ND
4,4'-oxydianiline	101-80-4	5	20	ND
4,4'-thiodianiline	139-65-1	5	20	ND
o-toluidine	95-53-4	5	20	ND
2,4-toluidinediamine	95-80-7	5	20	ND
2,4,5-trimethylaniline	137-17-7	5	20	ND
o-anisidine	90-04-0	5	20	ND
5-nitro-o-toluidine	99-55-8	5	20	ND
4-aminoazobenzene	60-09-3	5	20	ND
2,4-xylidine	95-68-1	5	20	ND
2,6-xylidine	87-62-7	5	20	ND

- Note:
- (1) 1mg/kg=1ppm=0.0001%
 - (2) MDL=Method Detection Limit
 - (3) ND=Not Detected (<MDL)
 - (4) Sample mixing test



中国认可
国际互认
检测
TESTING
CNAS L6760

171020340088

Test Report

Report No. HAPEC20030790

Page: 4 of 4

Sample photo:



End of report

本报告无批准人签字、报告专用章及骑缝章无效。本报告不得擅自修改、增加或删除。报告结果只对本次受检样品负责。若对检测结果有异议,请在报告签发日期后十五天内书面提出,逾期不予受理。未经 HAP 书面同意,不得部分复制本报告,亦不可作为宣传品使用。报告封面装饰作用,不在报告正文内。此报告无 CMA 标识时,检测数据仅限科研、教学、内部质量控制等活动使用。本公司出具纸质正版报告与电子数字签名版具备相同效力,当两者内容有差异时以电子数字签名版为准。

(具体通用条款详见 <http://www.hap-test.com/customerservice.html>)



180011112242



(2018) 国认监认字 (244) 号



中国认可
国际互认
检测
TESTING
CNAS L6780

检 验 报 告

TEST REPORT



Scan is following us



Scan checks for authenticity



* W 2 0 2 0 0 8 0 0 6 E *

浙江省轻工业产品质量检验研究院

Zhejiang Light Industrial Products Inspection and Research Institute

国家纺织服装产品质量监督检验中心（浙江）

National Textiles and Garment Quality Supervision Inspection Center(Zhejiang)

Test report

Number: W202008006E

page1/3

Name of Customer	Langshi Garments & Weaving Co.,Ltd Jinjiang	Address	Sanou Industrial Zone, Yinglin Town, Jinjiang City
Manufacturer	Langshi Garments & Weaving Co.,Ltd Jinjiang	Address	Sanou Industrial Zone, Yinglin Town, Jinjiang City
Sample information	Name of sample: Disposable Face Mask Characteristics of sample: Blue Trademark of sample: --- Specification/model: --- Level: --- Category of safety specification: --- Art. No.: --- -----		
Above-mentioned information by Customer-supplied			
The sent way of sample	Sent by customer	Sample quantity	17 pieces
Receiving Date of Sample	2020/04/20	Test Category	Entrusted inspection
Date of Testing	2020-04-20- 2020-04-20		
Rating Requirements	GB/T 32610-2016		
Test Summary: See the attached page for the results. <div style="text-align: right;"> [Signature] Test Seal Date of Approval: 2020-04-20 </div>			
Remarks	1. The protection effect grade is not marked on the sample mark, and it is judged according to the lowest standard requirement D grade. 2. The sample is not pretreated and the result is for reference.		

Approved by:


曹丽勤

Test report

Number:W202008006E

page2/3

ITEM	STANDARD (D GRADE)	RESULT	RATING
1. FILTER EFFICIENCY (SALT MEDIUM) (GB/T32610-2016)(%)			
-	≥ 90	94.0	PASS
2.PARTICLE PROTECTIVE PERFORMANCE (GB/T32610-2016)(%)			
-	≥ 65	79.9	PASS
3. RESPIRATORY RESISTANCE (GB/T32610-2016)(Pa)			
-INSPIRATORY RESISTANCE	≤ 175	100	PASS
-EXPIRATORY RESISTANCE	≤ 145	79	PASS



Test report

Number:W202008006E

page3/3

Picture(s) of sample



—End of report—



DECLARATION

1. Our organization guarantees impartiality, independence and honesty of inspection, and is responsible for the results of inspection, keeping the samples supplied by the entrusting party confidential and at the same time protecting the ownership of the samples supplied.
2. The test report will be deemed invalid without signatures of the inspector/reviewer and authorized personnel, and the red special inspection stamp of our organization.
3. The test report will be invalid if it is altered. Copies of the report are invalid without the red special inspection stamp of our organization.
4. The test results shown in this report is only valid for the tested sample.
5. All the pages of the report are integral parts of the report. Our organization will not be responsible for any misunderstanding or other results caused by using separate page(s) of the report.
6. If there is any dissent of the report, the entrusting party shall notify our organization timely. For the mandatory inspection given by governmental administration departments, and dissent about the sample being tested or test results on the report should be dealt with in accordance with national regulations.

浙江省轻工业产品质量检验研究院及附设的检验中心 The Affiliated Inspection Centers

浙江省轻工业产品质量检验研究院

Zhejiang Light Industrial Products Inspection and Research Institute

国家纺织服装产品质量监督检验中心（浙江）

National Textiles and Garment Quality Supervision Inspection Center (Zhejiang)

地址：浙江省杭州市江干区下沙路 300 号 6 号楼

Address: Building No.6, 300 XiaSha Road, Hangzhou, Zhejiang

联系电话：0571-85122669

Telephone: 0571-85122669

E-Mail: 1137907994@qq.com

国家家具产品质量监督检验中心（浙江）

National Center for Quality Supervision Inspection of Furniture (Zhejiang)

浙江省室内安全及家具产品质量检验中心

Zhejiang Center of Quality Test for Indoor Safety and Furniture Products

地址：浙江省杭州市余杭区良渚街道经一路 1 号良渚大学科技园 4 号楼

Address: Building 4 LiangZhu University Science and Technology Park, No.1,
JingYi Rd, Yuhang District, Hangzhou, Zhejiang

联系电话：0571-89009556

Telephone: 0571-89009556

E-Mail: 2047699564@qq.com

浙江省轻工及五金产品质量检验中心

Zhejiang Center of Quality Test for Light Industry and Hardware Products

浙江省体育用品质量检验中心

Zhejiang Center of Quality Test for Sports Products

地址：浙江省杭州市西湖区天目山路 222 号 3 号楼

浙江省杭州市余杭区良渚街道经一路 1 号良渚大学科技园 3 号楼

Address: No. 222 Tianmushan Rd., Hangzhou, Zhejiang

Building 3 LiangZhu University Science and Technology Park, No.1,

JingYi Rd., Hangzhou, Zhejiang

联系电话：0571-89001107

Telephone: 0571-89001107

E-Mail: wujtest@126.com

国家锁具产品质量监督检验中心（浙江）

National Center for Quality Supervision Inspection of Lock (Zhejiang)

浙江省锁具产品质量检验中心

Zhejiang Center of Quality Test for Lock Products

地址：浙江省杭州市塘苗路 24 号

Address: No. 24 Tangmiao Rd., Hangzhou, Zhejiang

联系电话：0571-85027738

Telephone: 0571-85027738

E-Mail: Locktest@126.com

网上业务受理/报告查询：<http://www.zjttj.cn:807>

Online Business-Reception/Report Inquires：<http://www.zjttj.cn:807>

投诉电话：0571-85023552

Complaint Tel: 0571-85023552


DISPOSABLE PROTECTIVE MASK

PRODUCT DESCRIPTION



PACKING

- 50 Pcs / Pack



- 40 Boxes / Carton , 2000 Pcs

